



eptarefrigeration

PLUG-IN POWER



GLAD BT/TN



Meat



Cheese



Dairy products



Fruits and Vegetables



Drinks



Frozen food



Ventilated



Hot-gas defrosting system



LED lighting



Free maintenance condenser



High efficiency fans



DUAL
Medium & Low temperature



Electronic controller

www.epta-asiapacific.com



epta refrigeration



PLUG-IN POWER



TECHNICAL DETAILS

Model	Cabinet dimension L x W x H	Volume in litres		Operating temperature	Refrigerant
		Gross	Net		
Glad 2D BT/TN	1471 x 850 x 2080	1293	1009	-18°/-25°C +5°/-1°C	R507A/R404A/R290

Model	Packing dimension L x W x H	Quantity on container		Cooling system	Defrosting system
		20'	40'		
Glad 2D BT/TN	1620 x 970 x 2260	7	14	Ventilated	Automatic



ACCESSORIES

	STD	OPT
4 wheels and 2 adjustable feet	●	
Lock system		●
Bumper		●
LED light front canopy		●



epta refrigeration


PLUG-IN POWER



TECHNICAL DETAILS

Model	Cabinet dimension L x W x H	Volume in litres		Operating temperature	Refrigerant
		Gross	Net		
Glad 3D BT/TN	2139 x 850 x 2080	1936	1511	-18°/-25°C +5°/-1°C	R507A/R404A/R290

Model	Packing dimension L x W x H	Quantity on container		Cooling system	Defrosting system
		20'	40'		
Glad 3D BT/TN	2270 x 970 x 2260	6	12	Ventilated	Automatic



ACCESSORIES

	STD	OPT
4 wheels and 6 adjustable feet	●	
Lock system		●
Bumper		●
LED light front canopy		●