

OFFFLIP HOT



Multideck display case suitable for **Hot Food**



Gastronomy



Chicken



Burger



Pizza



Bread



LED lighting



Ventilated

TECHNICAL DETAILS



Model	Dimensions (L X H X W) Without End Panels (mm)	End Panel Thickness (mm) Per Piece	Display Area (m ²)	Net Volume (L)
OFFLIP HOT 700	700 x 2000 x 705	30	1.38	304
OFFLIP HOT 937	937 x 2000 x 705	30	1.86	410
OFFLIP HOT 1250	1250 x 2000 x 705	30	2.49	549

Model	Power Supply	Core Product Temperature	Power Input (Watt)	Operating Current (Amp)
OFFLIP HOT 700	220 – 240V 1Ph 50/60 Hz	+63°C	3100	13.50
OFFLIP HOT 937	220 – 240V 1Ph 50/60 Hz	+63°C	4050	17.70
OFFLIP HOT 1250	220 – 240V 1Ph 50/60 Hz	+63°C	6450	27.14

Model	Quantity in 20' Container	Quantity in 40' Container	Packaging (L x H x W) (mm)
OFFLIP HOT 700	12	28	1140 X 2183 X 850
OFFLIP HOT 937	10	22	1140 X 2183 X 850
OFFLIP HOT 1250	6	14	1450 X 2183 X 850

CROSS-SECTION

